

AMENDMENT TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (currently amended): A method for manufacturing a data storage device, comprising:

placing a RF tag on a data storage device; and

assembling said data storage device based on said RF tag; and

testing said data storage device based on said RF tag;

wherein said RF tag provides information on an assembly method of said data storage device and a test method for testing said data storage device, and said data storage device is a drive tray or a controller.

2. (original): The method of claim 1, wherein said RF tag is a read-only tag.

3. (original): The method of claim 1, wherein said RF tag is a write once read many tag.

4. (original): The method of claim 1, wherein said RF tag is a read/write tag.

5. (cancelled)

6. (previously presented): A method for shipping a data storage device, comprising:
 - reading a RF tag attached on a data storage device to select said data storage device; and
 - shipping said data storage device to a customer,
 - wherein said data storage device is a drive tray or a controller.

7. (original): The method of claim 6, wherein said RF tag is a read-only tag.
8. (original): The method of claim 6, wherein said RF tag is a write once read many tag.
9. (original): The method of claim 6, wherein said RF tag is a read/write tag.
10. (original): The method of claim 6, further comprising removing said data storage device from an inventory based on said RF tag.
11. (original): The method of claim 6, further comprising billing said customer based on said RF tag.
12. (currently amended): A method for tracking and utilizing a data storage device, comprising:
 - entering information about a data storage device into a database through reading a RF tag placed on said data storage device when a customer receives said data storage device from a manufacturer; and
 - storing said data storage device in an inventory based on said RF tag;
 - retrieving said data storage device from said inventory based on said RF tag;
 - placing said data storage device into service based on said RF tag; and
 - communicating location of said data storage device to said manufacturer via global position system and said RF tag;
 - wherein said RF tag contains hardware and software configuration information about said data storage device, and said data storage device is a drive tray or a controller.
13. (cancelled)

14. (cancelled)
15. (currently amended): The method of claim ~~14~~ 12, further comprising communicating said hardware and software configuration information to said manufacturer via said RF tag.
16. (cancelled)
17. (original): The method of claim 12, further comprising tracking a physical location of said data storage device based on said RF tag before said data storage device reaches said customer.
18. (withdrawn): A method for a manufacturer to maintain a data storage device, comprising:
 - notifying a manufacturer of a failure or potential failure of a data storage device; and
 - locating said data storage device via a RF tag placed on said data storage device and via global positioning system by said manufacturer,
 - wherein said RF tag contains hardware and software configuration information about said data storage device.
19. (withdrawn): The method of claim 18, wherein said notifying step is performed via a remote monitoring system and SCADA (supervisory control and data acquisition) technology.
20. (withdrawn): The method of claim 18, further comprising repairing said data storage device.
21. (withdrawn): The method of claim 20, further comprising writing repair and modification information on said RF tag.

22. (withdrawn): The method of claim 21, further comprising communicating with a billing system of said manufacturer via said RF tag and sending charge to a customer.
23. (withdrawn): A method for a manufacturer to repair a returned data storage device, comprising:
 - reading a RF tag attached on a returned data storage device, said RF tag containing hardware and software configuration information about said returned data storage device; and
 - inquiring whether a warranty period for said returned data storage device has expired or whether said hardware and software configuration information is different from original configuration information.
24. (withdrawn): The method of claim 23, further comprising routing said returned data storage device to a correct location for repair and reconfiguration based on said RF tag when said warranty period has not expired and when said hardware and software configuration information is not different from said original configuration information.
25. (withdrawn): The method of claim 24, further comprising repairing said returned data storage device.
26. (withdrawn): The method of claim 25, further comprising storing a new configuration on said RF tag.
27. (currently amended): An apparatus, comprising:
 - a data storage device; and
 - a RF tag attached to said data storage device,

wherein said RF tag contains information about said data storage device, said information about said data storage device including a hardware and software

configuration, an operating condition, and a location of said data storage device,
and said data storage device is a drive tray or a controller.

28. (cancelled)
29. (original): The apparatus of claim 27, wherein said RF tag comprises EEPROM for storing said information about said data storage device.
30. (original): The apparatus of claim 27, wherein said RF tag comprises flash memory for storing said information about said data storage device.
31. (original): The apparatus of claim 27, further comprising a remote monitoring system communicatively coupled to said RF tag, wherein said information about said data storage device is communicated to a manufacturer via said remote monitoring system.
32. (previously presented): The apparatus of claim 31, wherein said remote monitoring system comprises at least one of EDI (electronic data interchange), Internet, extranet, or intranet.